

Tiandy

لیست قیمت رسمی بهار ۱۴۰۱

تارتن دژ آریانا

نمایندگی مرکزی محصولات تیاندی

تمامی کالاها دارای ۳۶ ماه گارانتی پارس ارتباط

۰۲۱-۹۱۰۰۹۵۵۵

۰۹۹۳-۳۲۴۰۸۹۹





تیاندی (Tiandy)

- دارنده رتبه هفتم جهان
- اولین ارائه دهنده فناوری Starlight (دید در شب رنگی)
- پیشرو در ارائه خدمات و محصولات هوشمند

ویژگی های برند تیاندی:

- ✓ انتقال تصویر آسان (P2P) بدون نیاز به IP استاتیک
- ✓ دارای 3 سال گارانتی شرکت پارس ارتباط
- ✓ دارای خط تولید در داخل کشور
- ✓ مورد تایید سازمان ها و ارگان های دولتی
- ✓ بهترین کیفیت با قیمت مناسب
- ✓ پشتیبانی از پروتکل ONVIF
- ✓ دید در شب رنگی با حداقل لوکس نوری (0.0008)



	1	2	3	4	5	6
Tiandy	TC-C32GN	TC-C32WS	TC-C32WP	TC-C32WP	TC-C32HN	TC-C32XP
	I5/E/Y/C/4mm/V4.0	Spec:I5/E/Y/M/4mm	Spec:I5/E/M/Y/4mm	Spec W/E/Y/4mm	I3/E/Y/C/2.8mm/V4.0	Spec W/E/Y/2.8mm

Tiandy



Price (Rials)	۱۱,۷۹۰,۰۰۰	۳۱,۶۵۰,۰۰۰	۲۶,۹۸۰,۰۰۰	۲۰,۸۶۰,۰۰۰	۱۱,۷۹۰,۰۰۰	۲۰,۸۶۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Dome	Dome
Max Resolution	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)
Sensor Size	1/2.9"	1/2.8"	1/2.8"	1/2.8"	1/2.9"	1/2.8"
Lens	4mm	4mm	4mm	4mm	2.8mm	2.8mm
Viewing Angle	82.1°	85.1°	83.3°	83.3°	97.4°	99.7°
Night Vision Distance	IR 50 M	IR 50 M	IR 50 M	Warm Light 15~20M	IR 30 M	Warm Light 15~20M
Dynamic Range	DWDR	WDR 120db	WDR 120db	WDR 120db	DWDR	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes	Yes	Yes
SD Card Support	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	No	Yes (Up to 512G)
Reset Button	N/A	Yes	Yes	Yes	N/A	Yes
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
Protection	IP67	IP67	IP67	IP66	IP66	IP67
VCA	Tripwire, Perimeter	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, People Counting, Crowd, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Human/Vehicle Classification	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter
Click for Details	TC-C32GN	TC-C32WS	TC-C32WP	TC-C32WP/W	TC-C32HN	TC-C32XP

	7	8	9	10	11	12
Tiandy	TC-C33WN	TC-C33XN	TC-C34WS	TC-C34WS	TC-C34GS	TC-C34WP
	Spec:I5/E/Y/4mm	Spec:I3/E/Y/2.8mm	Spec:I5/E/Y/M/2.8mm	Spec:I5/E/Y/M/4mm	I5/E/Y/C/4mm/V4.0	W/E/Y/M/4mm/V4.0

Tiandy



Price (Rials)	۱۸,۷۱۰,۰۰۰	۱۸,۷۱۰,۰۰۰	۲۹,۵۰۰,۰۰۰	۲۹,۵۰۰,۰۰۰	۱۹,۰۷۰,۰۰۰	۳۱,۶۵۰,۰۰۰
Camera Type	Bullet	Dome	Bullet	Bullet	Bullet	Bullet
Max Resolution	3MP(2304x1296@20fps)	3MP(2304x1296@20fps)	4MP(2560x1440@25fps)	4MP(2560x1440@25fps)	4MP(2560x1440@15fps)	4MP(2592x1520@25fps)
Sensor Size	1/2.7"	1/2.7"	1/2.8"	1/2.8"	1/2.7"	1/2.8"
Lens	4mm	2.8mm	2.8mm	4mm	4mm	4mm
Viewing Angle	85°	100.1°	92.1°	76.7°	90.9°	78°
Night Vision Distance	IR 50 M	IR 30 M	IR 50 M	IR 50 M	IR 50 M	Warm Light 15~20M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db	DWDR	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	No	Yes (Up to 512G)
Reset Button	Yes	Yes	Yes	Yes	N/A	Yes
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
Protection	IP67	IP67	IP67	IP67	IP67	IP67
VCA	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter
Click for Details	TC-C33WN	TC-C33XN	TC-C34WS	TC-C34WS	TC-C34GS	TC-C34WP

	13	14	15	16	17	18
Tiandy	TC-C34KS	TC-C34HS	TC-C34XP	TC-C35US	TC-C35TS	TC-C38WS
	Spec:I3/E/Y/2.8mm	I3/E/Y/C/2.8mm/V4.0	W/E/Y/M/2.8mm/V4.0	I8/A/E/Y/M/2.8-12mm	I8/A/E/Y/M/H/2.7-13.5mm	Spec:I5/E/Y/M//4mm

Tiandy



Price (Rials)	۲۷,۳۴۰,۰۰۰	۱۹,۰۷۰,۰۰۰	۳۱,۶۵۰,۰۰۰	۴۱,۷۲۰,۰۰۰	۷۰,۱۳۰,۰۰۰	۴۳,۸۸۰,۰۰۰
Camera Type	Dome	Dome	Dome	Bullet	Bullet	Bullet
Max Resolution	4MP(2560x1440@25fps)	4MP(2560x1440@15fps)	4MP(2592x1520@25fps)	5MP(2592x1944@20fps)	5MP(2592x1944@25fps)	8MP(3840x2160@20fps)
Sensor Size	1/2.8"	1/2.7"	1/2.8"	1/2.8"	1/2.8"	1/2.8"
Lens	2.8mm	2.8mm	2.8mm	Motorized 2.8-12mm	Motorized 2.7-13.5mm	4mm
Viewing Angle	92.1°	110.5°	93.8°	96.8°~32.7°	94.2° ~ 29.3°	86.6°
Night Vision Distance	IR 30 M	IR 30 M	Warm Light 15~20M	IR 80 M	IR 80 M	IR 50 M
Dynamic Range	WDR 120db	DWDR	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 512G)	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
Reset Button	Yes	N/A	Yes	Yes	Yes	Yes
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264/M-JPEG
Protection	IP67,IK10	IP66	IP67	IP67	IP67	IP67
VCA	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Crowded, People Counting, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Safety Helmet Detection, Human/Vehicle Classification	Tripwire, Perimeter
Click for Details	TC-C34KS	TC-C34HS	TC-C34XP	TC-C35US	TC-C35TS	TC-C38WS

	19	20	21	22	23
Tiandy	TC-C38JS	TC-C38KS	TC-H324S	TC-H326S	TC-H326S
	Spec:I5/E/M/N/4mm	Spec:I3/E/Y/2.8mm	Spec:25X/I/E	Spec: 33X/I/E	Spec: 33X/I/E++/A

Tiandy



Price (Rials)	۶۷,۶۲۰,۰۰۰	۴۳,۸۸۰,۰۰۰	۱۶۶,۷۲۰,۰۰۰	۲۳۷,۳۷۰,۰۰۰	۲۹۵,۶۳۰,۰۰۰
Camera Type	Bullet	Dome	PTZ	PTZ	PTZ
Max Resolution	8MP(3840x2160@20fps)	8MP(3840x2160@20fps)	2MP(1920x1080@25fps)	2MP(1920x1080@50fps)	2MP(1920x1080@50fps)
Sensor Size	1/2.8"	1/2.8"	1/2.8"	1/2.8"	1/2.8"
Lens	4mm	2.8mm	25x	33x	33x
Viewing Angle	84.8°	101.3°	58.5°	60.5°	60°
Night Vision Distance	IR 50 M	IR 30 M	IR 150 M	IR 150 M	IR 200 M
Dynamic Range	WDR 120db	WDR 120db	WDR 140db	WDR 140db	WDR 140db
Built in Mic	N/A	Yes	N/A	N/A	N/A
SD Card Support	Yes (Up to 128G)	Yes (Up to 128G)	Yes (Up to 512G)	Yes (Up to 128G)	Yes (Up to 512G)
Reset Button	Yes	Yes	Yes	Yes	Yes
Video Compression	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264/M-JPEG
Protection	IP67	IP67,IK10	IP66	IP66	IP67
VCA	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Crowded, People Counting, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Safety Helmet Detection, Human/Vehicle Classification.	Tripwire, Perimeter	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Video Abnormal, On-duty detection, Face Detection, Face Capture	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Video Abnormal, Audio Abnormal, Face Detection, Face Capture	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Heatmap, Video Abnormal, Crowd, Audio Abnormal, Demographics(People Counting), On Duty Detection, Safety Helmet Detection, Auto tracking, Face Capture
Click for Details	TC-C38JS	TC-C38KS	TC-H324S	TC-H326S	TC-H326S

	24	25	26	27	28	29
Tiandy	TC-R3105	TC-R3105	TC-R3110	TC-R3120	TC-R3220	TC-R3240
	Spec: I/B/L	Spec: I/B	Spec: I/B	Spec: I/B	Spec: I/B/K	Spec: I/B/N/H

Tiandy



Price (Rials)	۱۴,۲۶۰,۰۰۰	۲۴,۲۵۰,۰۰۰	۲۷,۶۰۰,۰۰۰	۳۵,۰۶۰,۰۰۰	۵۷,۸۱۰,۰۰۰	۹۲,۵۰۰,۰۰۰
Video Input	5-ch	5-ch	10-ch	20-ch	20-ch	40-ch
Recording Resolution	6MP/5MP/4MP/3MP/1080P /UXGA/720P/VGA/4CIF/DCIF /2CIF/CIF/QCIF	5MP/4MP/3MP/1080P/UXG A/720P/VGA/4CIF/DCIF/2CIF /CIF/QCIF	5MP/4MP/3MP/1080P/UXG A/720P/VGA/4CIF/DCIF/2CIF /CIF/QCIF	8MP/6MP/5MP/4MP/3MP/ 1080P/UXGA/720P/VGA/4CI F/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/3MP/1080P /UXGA/720P/VGA/4CIF/DCIF /2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP /3MP/1080P/UXGA/720P/V GA/4CIF/DCIF/2CIF/CIF/QCIF
Playback Capability	1× 6MP, 1× 5MP, 1× 4MP, 1× 3MP, 4× 1080P, 5× 720P, 5× 4CIF	1×5MP, 1×4MP, 3×1080P, 5×720P, 5×4CIF	1×5MP, 1×4MP, 3×1080P, 5×720P, 5×4CIF	1-ch 4K/4-ch 1080P/8-ch 720P/16-ch 4CIF	1× 8MP, 1× 6MP, 1× 5MP, 2× 4MP, 2× 3MP, 4× 1080P, 8× 720P, 20× 4CIF	3× 12MP, 4× 8MP, 4×6MP, 5× 5MP, 8× 4MP, 9× 3MP, 16× 1080P, 32× 720P, 40× 4CIF
HDD	1 up to 8TB	1 up to 10TB	1 up to 10TB	1 up to 10TB	2 up to 10TB	2 up to 10TB
Input Bandwidth	50Mbps	40Mbps	40Mbps	80Mbps	120Mbps	320Mbps
Output Bandwidth	40Mbps	40Mbps	40Mbps	80Mbps	100Mbps	320Mbps
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	2 RJ45 1000M
Video Output	1 Port HDMI : 2160p 1 Port VGA	1 Port HDMI : 2160p 1 Port VGA	1 Port HDMI : 2160p 1 Port VGA	1 Port HDMI : 2160p 1 Port VGA	1 Port HDMI : 2160p 1 Port VGA	1 Port HDMI : 2160p 1 Port VGA
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
Click for Details	TC-R3105	TC-R3105	TC-R3110	TC-R3120	TC-R3220	TC-R3240