

# Tiandy

لیست قیمت رسمی بهار ۱۴۰۲

تارتن دژ آریانا

نماینده مرکزی محصولات تیاندی

تمامی کالاها دارای 36 ماه گارانتی معتبر

۰۲۱-۹۱۰۰۹۵۵۵

۰۹۹۳-۳۲۴۰۸۹۹





## تیاندی (Tiandy)

- دارنده رتبه هفتم جهان
- اولین ارائه دهنده فناوری Starlight (دید در شب رنگی)
- پیشرو در ارائه خدمات و محصولات هوشمند

Tiandy

## ویژگی های برند تیاندی:

- انتقال تصویر آسان (P2P) بدون نیاز به IP استاتیک ✓
- دارای 3 سال گارانتی شرکت پارس ارتباط ✓
- دارای خط تولید در داخل کشور ✓
- مورد تایید سازمان ها و ارگان های دولتی ✓
- بهترین کیفیت با قیمت مناسب ✓
- پشتیبانی از پروتکل ONVIF ✓
- دید در شب رنگی با حداقل لوکس نوری (0.0008) ✓



	1	2	3	4	5	6
<b>Tiandy</b>	<b>TC-C32QN</b>	<b>TC-C32GN</b>	<b>TC-C32GS</b>	<b>TC-C32WS</b>	<b>TC-C32WP</b>	<b>TC-C32WP</b>
	I3/E/Y/2.8mm/V5	I5/E/Y/C/2.8mm	I5/E/Y/C/SD/2.8mm	I5/E/Y/M/4mm/V4.0	I5/E/M/Y/4mm	W/E/Y/4mm

**Tiandy**



<b>Price (Rials)</b>	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
<b>Max Resolution</b>	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)
<b>Sensor Size</b>	1/2.9"	1/2.8"	1/2.8"	1/2.8"	1/2.8"	1/2.8"
<b>Lens</b>	2.8mm	2.8mm	2.8mm	4mm	4mm	4mm
<b>Viewing Angle</b>	102.8°	99.7°	99.7°	85.1°	83.3°	83.3°
<b>Night Vision Distance</b>	IR 30 M	IR 50 M	IR 50 M	IR 50 M	IR 50 M	Warm Light 15~20M
<b>Dynamic Range</b>	DWDR	DWDR	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>SD Card Support</b>	No	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
<b>Reset Button</b>	N/A	N/A	N/A	Yes	Yes	Yes
<b>Video Compression</b>	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264	S+265/H.265/H.264
<b>Protection</b>	IP67	IP67	IP67	IP67	IP67	IP66
<b>VCA</b>	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, People Counting, Crowded, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Human/Vehicle Classification	Tripwire, Perimeter	Tripwire, Perimeter
<b>Click for Details</b>	<a href="#">TC-C32QN</a>	<a href="#">TC-C32GN</a>	<a href="#">TC-C32GS</a>	<a href="#">TC-C32WS</a>	<a href="#">TC-C32WP</a>	<a href="#">TC-C32WP/W</a>

	7	8	9	10	11	12
<b>Tiandy</b>	<b>TC-C32WP</b>	<b>TC-C32XN</b>	<b>TC-C32HN</b>	<b>TC-C32HS</b>	<b>TC-C32XP</b>	<b>TC-C34WS</b>
	W/E/Y/2.8mm	I3/E/Y/2.8mm/V5	I3/E/Y/C/2.8mm/V4.0	I3/E/Y/C/SD/2.8mm	W/E/Y/2.8mm/V4.0	I5/E/Y/M/2.8mm

**Tiandy**



<b>Price (Rials)</b>	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵
<b>Camera Type</b>	Bullet	Dome	Dome	Dome	Dome	Bullet
<b>Max Resolution</b>	2MP(1920x1080@25fps)	2MP(1920x1080@25fps)	2MP(1920x1080@25fps)	2MP(1920x1080@30fps)	2MP(1920x1080@25fps)	4MP(2560x1440@25fps)
<b>Sensor Size</b>	1/2.8"	1/2.8"	1/2.9"	1/2.8"	1/2.8"	1/2.8"
<b>Lens</b>	2.8mm	2.8mm	2.8mm	2.8mm	2.8mm	2.8mm
<b>Viewing Angle</b>	99.7°	99.7°	97.4°	99.7°	99.7°	92.1°
<b>Night Vision Distance</b>	Warm Light 15~20M	IR 30 M	IR 30 M	IR 30 M	Warm Light 15~20M	IR 50 M
<b>Dynamic Range</b>	WDR 120db	DWDR	DWDR	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>SD Card Support</b>	Yes (Up to 512G)	Yes (Up to 512G)	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
<b>Reset Button</b>	Yes	Yes	N/A	N/A	Yes	Yes
<b>Video Compression</b>	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
<b>Protection</b>	IP67	IP67	IP66	IP66	IP67	IP67
<b>VCA</b>	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter
<b>Click for Details</b>	<a href="#">TC-C32WP/W</a>	<a href="#">TC-C32XN</a>	<a href="#">TC-C32HN</a>	<a href="#">TC-C32HS</a>	<a href="#">TC-C32XP</a>	<a href="#">TC-C34WS</a>

	13	14	15	16	17	18
<b>Tiandy</b>	<b>TC-C34WS</b>	<b>TC-C34GN</b>	<b>TC-C34GS</b>	<b>TC-C34GS</b>	<b>TC-C34WP</b>	<b>TC-C34LP</b>
	I5/E/Y/M/4mm	I5/E/Y/C/2.8mm	I5/E/Y/C/4mm/V4.0	I5/E/Y/C/SD/2.8mm	W/E/Y/M/4mm/V4.0	I5/A/E/M/H/2.7-13.5mm

**Tiandy**



<b>Price (Rials)</b>	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
<b>Max Resolution</b>	4MP(2560x1440@25fps)	4MP(2592x1520@25fps)	4MP(2560x1440@25fps)	4MP(2560x1440@25fps)	4MP(2592x1520@25fps)	4MP(2592x1520@30fps)
<b>Sensor Size</b>	1/2.8"	1/2.7"	1/2.7"	1/2.7"	1/2.8"	1/1.8"
<b>Lens</b>	4mm	2.8mm	4mm	2.8mm	4mm	Motorized 2.7-13.5mm
<b>Viewing Angle</b>	76.7°	103.4°	88.2°	103.4°	78°	114°~497°
<b>Night Vision Distance</b>	IR 50 M	IR 50 M	IR 50 M	IR 50 M	Warm Light 15~20M	SuperStarlight/IR 80M
<b>Dynamic Range</b>	WDR 120db	DWDR	DWDR	DWDR	WDR 120db	WDR 140db
<b>Built in Mic</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>SD Card Support</b>	Yes (Up to 512G)	No	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
<b>Reset Button</b>	Yes	N/A	N/A	N/A	Yes	Yes
<b>Video Compression</b>	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG
<b>Protection</b>	IP67	IP67	IP67	IP67	IP67	IP67,IK10
<b>VCA</b>	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Crowded, People Counting, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Safety Helmet Detection, Human/Vehicle Classification
<b>Click for Details</b>	<a href="#">TC-C34WS</a>	<a href="#">TC-C34GN</a>	<a href="#">TC-C34GS</a>	<a href="#">TC-C34GS</a>	<a href="#">TC-C34WP</a>	<a href="#">TC-C34LP</a>

	19	20	21	22	23	24
<b>Tiandy</b>	<b>TC-C34KS</b>	<b>TC-C34HN</b>	<b>TC-C34HS</b>	<b>TC-C34HS</b>	<b>TC-C34XP</b>	<b>TC-C35US</b>
	I3/E/Y/2.8mm	I3/E/Y/C/2.8mm	I3/E/Y/C/2.8mm/V4.0	I3/E/Y/C/SD/2.8mm	W/E/Y/M/2.8mm/V4.0	I8/A/E/Y/M/2.8-12mm

**Tiandy**



<b>Price (Rials)</b>	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵
<b>Camera Type</b>	Dome	Dome	Dome	Dome	Dome	Bullet
<b>Max Resolution</b>	4MP(2560x1440@25fps)	4MP(2560x1440@15fps)	4MP(2560x1440@15fps)	4MP(2560x1440@15fps)	4MP(2592x1520@25fps)	5MP(2592x1944@20fps)
<b>Sensor Size</b>	1/2.8"	1/2.7"	1/2.7"	1/2.7"	1/2.8"	1/2.8"
<b>Lens</b>	2.8mm	2.8mm	2.8mm	2.8mm	2.8mm	Motorized 2.8-12mm
<b>Viewing Angle</b>	92.1°	99.7°	103.4°	99.7°	93.8°	96.8°~32.7°
<b>Night Vision Distance</b>	IR 30 M	IR 30 M	IR 30 M	IR 30 M	Warm Light 15~20M	IR 80 M
<b>Dynamic Range</b>	WDR 120db	DWDR	WDR 120db	DWDR	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>SD Card Support</b>	Yes (Up to 512G)	No	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
<b>Reset Button</b>	Yes	N/A	N/A	N/A	Yes	Yes
<b>Video Compression</b>	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
<b>Protection</b>	IP67,IK10	IP66	IP66	IP66	IP67	IP67
<b>VCA</b>	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter
<b>Click for Details</b>	<a href="#">TC-C34KS</a>	<a href="#">TC-C34HN</a>	<a href="#">TC-C34HS</a>	<a href="#">TC-C34HS</a>	<a href="#">TC-C35MP</a>	<a href="#">TC-C35US</a>

	25	26	27	28
<b>Tiandy</b>	<b>TC-C35KS</b>	<b>TC-C35MS</b>	<b>TC-C38WS</b>	<b>TC-C38KS</b>
	I3/E/Y/M/H/2.8mm/ V4.0	I3/A/E/Y/M/2.8-12mm	I5/E/Y/M//4mm/V4.0	I3/E/Y/2.8mm/V4.0

**Tiandy**



Price (Rials)	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵
<b>Camera Type</b>	Dome	Dome	Bullet	Dome
<b>Max Resolution</b>	5MP(2592x1944@20fps)	5MP(2592x1944@20fps)	8MP(3840x2160@20fps)	8MP(3840x2160@20fps)
<b>Sensor Size</b>	1/2.8"	1/2.8"	1/2.8"	1/2.8"
<b>Lens</b>	2.8mm	Motorized 2.8-12mm	4mm	2.8mm
<b>Viewing Angle</b>	95.6°	96°~32.7°	86.6°	101.3°
<b>Night Vision Distance</b>	Starlight/IR 30M	Starlight/IR 30M	IR 50 M	IR 30 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	Yes	Yes	Yes
<b>SD Card Support</b>	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 128G)
<b>Reset Button</b>	Yes	Yes	Yes	Yes
<b>Video Compression</b>	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264/M-JPEG
<b>Protection</b>	IP67,IK10	IP67,IK10	IP67	IP67,IK10
<b>VCA</b>	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Crowed, People Counting, Crowed, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Safety Helmet Detection, Human/Vehicle Classification	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter
<b>Click for Details</b>	<a href="#">TC-C35KS</a>	<a href="#">TC-C35MS</a>	<a href="#">TC-C38WS</a>	<a href="#">TC-C38KS</a>



Tiandy

TC-H324S

Spec:25X/I/E

**Tiandy**

tiandy-cctv.com

Price (Rials)	Call: +۹۱-۹۱۰۰۹۵۵۵
Camera Type	PTZ
Max Resolution	2MP(1920×1080@25fps)
Sensor Size	1/2.8"
Lens	Varifocal4.8mm~120mm
Viewing Angle	58.5°~2.8°
Night Vision Distance	IR 150 M
Dynamic Range	WDR 140db
Built in Mic	No
SD Card Support	Yes (Up to 512G)
Reset Button	Yes
Video Compression	S+265/H.265/H.264/M-JPEG
Protection	IP66
VCA	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Video Abnormal, On-duty detection, Face Detection, Face Capture
Click for Details	<a href="#">TC-H324S</a>

tiandy-cctv.com

	30	31	32	33	34	35
<b>Tiandy</b>	<b>TC-R3105</b>	<b>TC-R3105</b>	<b>TC-R3110</b>	<b>TC-R3120</b>	<b>TC-R3120</b>	<b>TC-R3220</b>
	Spec: I/B/L	Spec: I/B/V3.0	Spec: I/B	Spec: I/B	Spec: I/B/V3.0	Spec: I/B/K

**Tiandy**



Price (Rials)	Call: +٢١-٩١٠٠٩٥٥٥	Call: +٢١-٩١٠٠٩٥٥٥	Call: +٢١-٩١٠٠٩٥٥٥	Call: +٢١-٩١٠٠٩٥٥٥	Call: +٢١-٩١٠٠٩٥٥٥	Call: +٢١-٩١٠٠٩٥٥٥
<b>Video Input</b>	5-ch	5-ch	10-ch	20-ch	20-ch	20-ch
<b>Recording Resolution</b>	6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF
<b>Playback Capability</b>	1× 6MP, 1× 5MP, 1× 4MP, 1× 3MP, 4× 1080P, 5× 720P, 5× 4CIF	1×5MP, 1×4MP, 3×1080P, 5×720P, 5×4CIF	1×5MP, 1×4MP, 3×1080P, 5×720P, 5×4CIF	1-ch 4K/4-ch 1080P/8-ch 720P/16-ch 4CIF	1-ch 4K/4-ch 1080P/8-ch 720P/16-ch 4CIF	1× 8MP, 1× 6MP, 1× 5MP, 2× 4MP, 2× 3MP, 4× 1080P, 8× 720P, 20× 4CIF
<b>HDD</b>	1 up to 8TB	1 up to 10TB	1 up to 10TB	1 up to 10TB	1 up to 10TB	2 up to 10TB
<b>Input Bandwidth</b>	50Mbps	40Mbps	40Mbps	80Mbps	80Mbps	120Mbps
<b>Output Bandwidth</b>	40Mbps	40Mbps	40Mbps	80Mbps	80Mbps	100Mbps
<b>Network Interface</b>	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M
<b>Video Output</b>	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA
<b>Video Compression</b>	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
<b>Click for Details</b>	<a href="#">TC-R3105</a>	<a href="#">TC-R3105</a>	<a href="#">TC-R3110</a>	<a href="#">TC-R3120</a>	<a href="#">TC-R3120</a>	<a href="#">TC-R3220</a>

	36	37	38	39	40	41
<b>Tiandy</b>	<b>TC-R3220</b> Spec:I/B/P16/K/V3.0	<b>TC-R3240</b> Spec:I/B/N/H	<b>TC-R3440</b> Spec:I/B/N/H/C	<b>TC-R3440</b> Spec:I/B/P16/H	<b>TC-R3840</b> Spec:I/B/N	<b>TC-R3880</b> Spec:I/B/N

**Tiandy**



<b>Price (Rials)</b>	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵	Call: +۲۱-۹۱۰۰۹۵۵۵
<b>Video Input</b>	20-ch/16P	40-ch	40-ch	40-ch/16P	40-ch	80-ch
<b>Recording Resolution</b>	8MP/6MP/5MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF
<b>Playback Capability</b>	1× 8MP, 1× 6MP, 1× 5MP, 2× 4MP, 2× 3MP, 4× 1080P, 8× 720P	3× 12MP, 4× 8MP, 4× 6MP, 5× 5MP, 8× 4MP, 9× 3MP, 16× 1080P, 32× 720P, 40× 4CIF	3× 12MP, 4× 8MP, 4× 6MP, 5× 5MP, 8× 4MP, 9× 3MP, 16× 1080P, 16× 720P	3× 12MP, 4× 8MP, 4× 6MP, 5× 5MP, 8× 4MP, 9× 3MP, 16× 1080P, 16× 720P	2× 12MP, 4× 4K, 5× 5MP, 8× 4MP, 16× 1080P, 16× 720P	× 12MP, 4× 8MP, 4× 6MP, 5× 5MP, 8× 4MP, 9× 3MP, 16× 1080P, 16× 720P
<b>HDD</b>	2 up to 10TB	2 up to 10TB	4 up to 10TB	4 up to 10TB	8 up to 10TB	8 up to 10TB
<b>Input Bandwidth</b>	120Mbps	320Mbps	200Mbps	320Mbps	400Mbps	320Mbps
<b>Output Bandwidth</b>	100Mbps	320Mbps	200Mbps	320Mbps	200Mbps	320Mbps
<b>Network Interface</b>	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
<b>Video Output</b>	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	2 Port HDMI : 4K 2 Port VGA	2 Port HDMI : 4K 2Port VGA
<b>Video Compression</b>	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
<b>Click for Details</b>	<a href="#">TC-R3220 /16P</a>	<a href="#">TC-R3240</a>	<a href="#">TC-R3440</a>	<a href="#">TC-R3440/16P</a>	<a href="#">TC-R3840</a>	<a href="#">TC-R3880</a>

42

Tiandy

TC-R31680

Spec:E/B/N

Tiandy



Price (Rials)	Call: +۹۱-۹۱۰۰۹۵۵۵
Video Input	80-ch
Recording Resolution	12MP/8MP/6MP/5MP/4MP/ 3MP/1080P/UXGA/720P/VGA /4CIF/DCIF/2CIF/CIF/QCI
Playback Capability	2×12MP, 4×4K, 5×5MP, 8×4MP, 16×1080P, 16×720P
HDD	16 up to 10TB
Input Bandwidth	400Mbps
Output Bandwidth	200Mbps
Network Interface	2 RJ45 1000M
Video Output	2 Port HDMI : 4K 2Port VGA
Video Compression	S+265/H.265/H.264
Click for Details	<a href="#">TC-R31680</a>